



new

emergency tank shower

ANY SITE | ANY DAY | ANY TIME

 **ENWARE**

emergency tank shower

ANY SITE | ANY DAY | ANY TIME

SMART IN DESIGN

Compact to minimise storage space **pallet sized footprint**

Support frame and all terrain base **stored and shipped within tank**

Designed to be **relocatable** using a standard utility vehicle - ideal **solution** for exploratory projects, shut down work, fracking sites and remote locations to ensure immediate **mobilisation of your workforce**

Designed to be a **strong representation of safety** with high intensity reflective emergency band marking, signage and lighting (options)

Single piece frame (option) designed for Category D **cyclones**

Support frame is **constructed from 316 Stainless steel** with **powder coating** option ideal for high corrosion environments

Designed to comply to AS4775 and ANSI Z358.1

SMART IN USE

Easy to install and pack down. Ease and **speed to mobilise** workforce helps **minimise site down time**

Easy to re-locate with **integrated pallet** (for fork lifting) and crane lift points

Suitable for **solar panel connection** (optional)

Integrated **fast filling connections** with strainer and overflow

Can be connected to plumbed supply for **automatic filling**

Easy erect frame and support floor allows **quick deployment** on flat level ground without expensive concrete footings


integrated chiller and heater





complete unit stored and shipped within tank



robust structural frame



all terrain relocatable base - no cement base required



SMART WATER DELIVERY

Soft flow, low velocity shower head **optimises flushing** performance while minimising the harsh water impact on the injured user's skin

1400L **thermally insulated tank** made from 60mm thick, foam-core LMDPE includes highly visible, UV stabilised colouring ideal for outdoor environments

Integral flow control to ensure constant flow of flushing fluid for 15 minutes

Back lit **emergency signage**

Highly visible **water level indication** and water **temperature gauge**

Integrated tank inspection hatches and fast draining point

Low level water **alarm with back to base or audio visual alarm** (options) available

All terrain relocatable base so no need for traditional cement base - saving time and cost

Suitable for **solar panel connection**

Integrated pallet (with fork lift points) tank sits flush on the pallet



flexible in design to align with your work environment needs

emergency tank shower

ANY SITE | ANY DAY | ANY TIME

