

# Fixed Enclosed Bunded Platform

## Installation Instructions

ECEPENC-RETRO



---

## installation compliance

Installation of emergency showers, eye and eye/face wash equipment shall be in accordance with AS 4775 or ANSI Standard Z358.1 - whichever is applicable to the installation.

### Placement of Emergency Equipment


Emergency eye wash and shower equipment shall be available for immediate use. It shall take no longer than 10 seconds for an individual to reach the nearest facility. Factors that influence the location of emergency facilities include workplace lighting, obstructions to the path of travel and the work environment.

It should be noted that some situations may warrant the placement of equipment significantly closer to the hazard. In these situations, such as exposure to highly corrosive chemicals, the proper distances should be selected based on the advice from appropriate consultants. For situations such as exposure to strong acids or alkalis, due consideration needs to be given to possible reaction between the flushing fluid and the chemical if the flushing fluid enters a bulk container of the chemical.

NOTE: Enware Australia advises:

1. Due to ongoing Research and Development, specifications may change without notice.
2. Component specifications may change on some export models.

# dimensions



Ø 50 MALE DEFAULT SHOWER WASTE OUTLET POSITION SHOWN. PLEASE SPECIFY AN ALTERNATIVE SIDE, FRONT, OR BACK SHOWER WASTE OUTLET POSITION WHEN ORDERING, IF DIFFERENT POSITION TO DEFAULT IS REQUIRED.

SHORTER ARM SHOWER  
OUTLET TO SUIT BUND.

M10 FASTENERS

FIXED ENCLOSED BUNDED  
PLATFORM WITH WASTE



## NOTES:-

1. STANDARD STAINLESS STEEL FINISH WITH GREEN POWDER COATED PANELS.
2. PANELS OPTIONAL AS WHITE, YELLOW, AND ORANGE. SPECIFY WHEN ORDERING.

# installation

## 1. LOCATION

Determine location of platform enclosure to be installed.

Emergency shower equipment shall be available for immediate use, and it shall take no longer than 10 seconds for an individual to reach the shower equipment. (AS4775)

Place the unit so there is enough space for connecting plumbing fittings being used.

## 2. MOUNTING

Mark and drill holes at the four fixing points located in the corners of the platform base. Secure the platform base to level floor using corrosion resistant anchors. (Anchors are not supplied.) SEE IMAGE 1

3. Lift grill out from the platform base, and keep aside. SEE IMAGE 2

4. [ Emergency shower is supplied separately. ]

Place Shower Base Frame onto platform, and secure the base plate in place using four bolt and nut sets supplied. Ensure the base plate is sitting square, and tighten the fixing nuts using a spanner. SEE IMAGE 3 & 4




IMAGE 1




IMAGE 2



IMAGE 3




IMAGE 4

5. Place grill back onto platform base.




IMAGE 5

6. A shorter length shower rose is supplied to be used in place of the standard shower rose. Apply thread sealing tape or thread sealant to threaded end of the short shower rose, and screw it into the ball valve of Upper Frame of emergency shower to be installed. Tighten the shower rose by hand to an aligned position where the shower head will be parallel to the floor.




IMAGE 6

7. Attach the ball valve lever and pull handle to the shower ball valve, using the nut and washer already on the ball valve. The ball valve lever should point up at 45 degrees towards the back when in the OFF position.




IMAGE 7




IMAGE 8

8. Connect Upper Frame to Shower Base Frame using the integral stainless steel union. No tools are required. Check that the rubber O-ring is in place on the union, and tighten by hand. Make sure the Upper Frame is aligned straight so that the arm of the shower is centered over the eye wash.




IMAGE 9

9. Secure the shower riser onto the enclosure frame using two pipe brackets supplied. Tighten fixing bolts using a spanner.



IMAGE 10



IMAGE 11

10. Continue installation of the emergency shower and eye/face wash according to shower installation instructions.

Connect water supply to shower inlet.  
Connect eye wash drain and platform drain outlets to drain. SEE IMAGE 12 & 13




IMAGE 12




IMAGE 13

## CLEANING

Enware products should be cleaned with a soft damp cloth using only mild liquid detergent or soap and water. Do not use cleaning agents containing a corrosive acid, scouring agent or solvent chemicals. Do not use cream cleaners, as they are abrasive. Use of unsuitable cleaning agents may damage the surface. Any damage caused in this way will not be covered by warranty.

# product warranty statement - WATTS AUSTRALIA

EFFECTIVE FROM 20 November 2023

This Warranty Statement applies to products supplied by Australian Valve Group Pty Ltd (ACN 068 227 270) (**AVG**) or Enware Pty Ltd (ACN 662 302 767) (**Enware**) (each of AVG and Enware, a Supplier) and installed within Australia.

Subject to the terms and conditions outlined in this Warranty Statement, each Supplier warrants to its customers that a product supplied by it (**Product**) will be free from all defects in material and workmanship under normal usage for the applicable Warranty Period (as set out in the Warranty Table below). The Warranty Period commences from the date of delivery of the relevant Product.

## 1. Conditions

The warranty provided under this Warranty Statement will not apply in respect of a Product (or any Product defect, fault or resulting damage) if:

- (a) the Product is not installed and maintained in accordance with the requirements of the applicable laws, standards and codes (including, without limitation to, the National Construction Code Volume Three – Plumbing Code of Australia, associated reference standards as applicable at the time and AS/NZS 3500);
- (b) the Product is not installed and maintained by a qualified technician in accordance with the relevant installation and operation manual and instructions; and
- (c) any Product defect, faulty or resulting damage arises from:
  - (i) failure by you or any other person to follow the relevant manual or instructions (relating to the handling, storage, installation, fitting, connection, adjustment, maintenance or repair of the Product) published or provided by the Supplier;
  - (ii) failure by you or any other person responsible for the fitting, installation, or other work on the Product to follow or conform to applicable laws, standards and codes (including, without limitation to, the AS/NZ 3500 set of Standards, all applicable State and Territory Plumbing Codes, the Plumbing Code of Australia and directions and requirements of local and other statutory authorities);
  - (iii) any parts or components not manufactured by the Supplier (or otherwise not authorised by the Supplier) are installed or combined with the Product, without the prior authorisation of the Supplier; or
  - (iv) any act or circumstance beyond our control including, without limitation to, accident, abnormal use, vandalism, fouling caused by foreign material, damage from adverse water conditions, chemical, acts of God, damage to buildings, other structures and infrastructure and loss or damage during transit or transportation of the Product, or any abuse, misuse, misapplication, improper installation or connection, or improper maintenance or alteration of the Product.

## 2. Make a claim

To make a claim under this Warranty Statement, you must notify the relevant Supplier in writing within 7 days of any alleged defect in the Product coming to your attention and provide the Supplier with proof of your purchase of the Product to the relevant Supplier:

- (a) If the Product is supplied by **AVG**, please contact AVG by telephone at 1800 284 287, or by email via its online portal <https://www.wattsau.com.au/support>.
- (b) If the Product is supplied by **Enware**, please complete the Product Service Request form (ENF091), which is available on request from our office (see contact details below), or online via <https://www.enware.com.au/warranty-service-form/>. All notifications and accompanying forms must be sent to Enware marked for the attention of Enware, 9 Endeavour Road, Caringbah NSW 2229. Enware can also be contacted by telephone (1300 369 273) or by email ([info@enware.com.au](mailto:info@enware.com.au)).

On receipt of a notification from you of a claim under this Warranty Statement, the relevant Supplier may contact you requesting you provide reasonably additional evidence, information or details about your claim, or requiring that the relevant Product should be returned to the Supplier (in accordance with the Supplier's instructions) for inspection and testing.

Your failure to comply with any such request within a reasonable amount of time may result in your claim under this Warranty Statement being rejected.

## 3. Our responsibilities

(a) In the event that the Supplier is reasonably satisfied that there is a defect in the relevant Product within the applicable Warranty Period, the Supplier will, at its option, replace the Product, supply an equivalent product or repair the Product, free of charge. Your costs in making a warranty claim under this Warranty Statement, including any costs in relation to freight, collection, delivery and installation, are to be borne and paid by you. However, if in respect of a Product, it is indicated in the Warranty Table that labour support will be provided, and the Supplier is reasonably satisfied that a defect in the Product takes place during the period that labour support will be provided as indicated in the Warranty Table, the Supplier will bear the costs for delivery, repair and installation of the replacement Product (as applicable).

(b) TO THE EXTENT PERMITTED BY LAW AND SUBJECT TO PARAGRAPH 4 BELOW AND THE OPERATION OF THE AUSTRALIAN CONSUMER LAW:

- (i) THE WARRANTY SET OUT IN THIS WARRANTY STATEMENT IS GIVEN EXPRESSLY AND IS THE ONLY WARRANTY GIVEN BY THE SUPPLIER WITH RESPECT TO THE RELEVANT PRODUCT;
- (ii) THE SUPPLIER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED;
- (iii) THE SUPPLIER HEREBY SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE; AND
- (iv) THE REMEDY DESCRIBED IN THIS WARRANTY STATEMENT SHALL CONSTITUTE THE SOLE AND EXCLUSIVE REMEDY FOR BREACH OF WARRANTY, AND THE SUPPLIER SHALL NOT BE RESPONSIBLE FOR ANY INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, OR LOST PROFITS OR THE COST OF REPAIRING OR REPLACING OTHER PROPERTY WHICH IS DAMAGED IF THE PRODUCT DOES NOT WORK PROPERLY.

## 4. Australian Consumer Law

This paragraph 4 applies if you are a 'Consumer' (as defined in section 3 of the Australian Consumer Law (**ACL**)) and the Product or services supplied to you falls within the goods or services which, for the purposes of the ACL, are of a kind ordinarily acquired for personal, domestic or household use or consumption.

The Products and services provided by the Supplier come with guarantees that cannot be excluded under the ACL, and noting in this Warranty Statement should be interpreted as attempting to exclude, restrict or modify such guarantees or your rights under the ACL. For major failures with any services, you are entitled:

- (c) to cancel your service contract with us; and
- (d) to a refund for the unused portion, or to compensation for its reduced value.

You are also entitled to choose a refund or replacement for major failures with Products. If a failure with the Product or a service does not amount to a major failure, you are entitled to have the failure rectified in a reasonable time. If this is not done you are entitled to a refund for the Products and to cancel the contract for the service and obtain a refund of any unused portion. You are also entitled to be compensated for any other reasonably foreseeable loss or damage from a failure in the Products or service\*.

## 5. Warranty table

\*the applicable period commences on the date of delivery of the Product.

PRODUCT GROUP	PRODUCT SERIES CODES	WARRANTY PERIOD (YEARS)*	LABOUR SUPPORT (YEARS)
Safety	ECE, EEE, ENB, EFE, EL, ENBE, EM, SELF CONTAINED AND GRAVITY FED	2	1