

Food Service: Pre-Rinse Concealed Wall Mixer Assembly

The Enware Ultra Rinse range of Food Service Pre-Rinse assemblies are designed for use in Commercial Kitchens and Food Preparation areas.

A wide range of products to suit Wall and Bench mounting are available with mixers, pot fillers and various formats to suit different plumbing set-outs.

Heavy duty fixings and chrome plated finishes with anti-vandal fittings ensure easy cleaning for improved hygiene, and long lasting service for critical areas in the kitchen.

Adjustable sets for easy retro-fit and special shortened assemblies ensure there is a solution for all new and existing kitchens.

Service parts such as hoses, trigger sprays, spindles and handles are available to ensure downtime does not interrupt the work flow of a busy kitchen.



PRODUCT CODE

FWS021

Food Service: Pre-Rinse Concealed Wall Mixer Assembly

KEY FEATURES

- Separate recessed hot and cold taps to provide either hot, cold water or mixed water
- Note Extended Depth Spindles are no longer available- consider using Exposed Mixer Sets (FWS031/FWS131)
- Dual check valves for backflow protection
- Spring return allows the spray and hose to be pulled into the spraying position and to retract back from the washing area when released
- Pex hose with smooth outer covering and braided inner has in-built swivels to ensure ease of use and to assist to prevent user fatigue
- Quarter-turn, contra-rotating easy to clean 80mm lever handles
- Heavy duty Jumper Valve 1/4 Turn spindles, can be serviced
- Clear identification on all lever handles with blue, yellow, red or grey coloured indicator collars
- Attractive, lead free brass chrome body
- FS062 Pot Filler can be added



Products are to be installed in accordance with the Plumbing Code of Australia and AS/NZS3500. Reference should also be made to the Australasian Health Facility Guidelines (AHFG), ABCB and Local Government regulations when considering the choice of, and the installation of these products.

This product is compliant with the Lead Free requirements of NCC Volume Three.



Due to ongoing Research and Development, specifications may change without notice. Component specifications may change on some export models.

Refer to warranty statement for warranty details - www.enware.com.au/warranty.


Food Service: Pre-Rinse Concealed Wall Mixer Assembly

TECHNICAL DATA

Standard WELS	6Stars
Standard WELS Flow Rate	4L/min
Valve Type	1/4 Turn Jumper Valve
Maximum Working Temperature	70°C
Minimum Recommended Pressure	100kPa
Maximum Recommended Pressure	500kPa
Maximum Static Pressure	800kPa
Ensure spring return and hose movement is not impeded by surrounding equipment, benches and shelving.	
Applying excessive pulling force may damage the hose assembly.	



Wall-Depth Adjustment



OPTIONAL ACCESSORIES

FS729SS-KIT	Soft Spray conversion kit for FS729 trigger spray
FS062	Riser Pot Filler with 230mm Spout

Food Service: Pre-Rinse Concealed Wall Mixer Assembly

SPARE PARTS

JHS382LTC	Rising Spindle Recess Stuffing Box Assembly - 1/4 Turn Jumper Valve - LTC
JHS382RTC	Rising Spindle Recess Stuffing Box Assembly - 1/4 Turn Jumper Valve - RTC
FSJ308LTC	Lever Handle 80mm Recess Adaptor - Jumper Valve - 1/4 Turn Rising SBA LTC - Colour Indicators
FSJ308RTC	Lever Handle 80mm Recess Adaptor - Jumper Valve - 1/4 Turn Rising SBA RTC - Colour Indicators
FS077NS	Service Kit Suits FS729
FS721S	Stuffing Box Assembly - FS721/FS729
FS790	Trigger Spray Handle & Screw Replacement
FS020	Wall Mounted - Riser Base
FS729	Pre-Rinse Ultra Rinse Trigger Spray
FS795	Spray Nozzle and Guard for Ultra Rinse Trigger Spray
FS734	Washer Service Kit - O-Rings, Grub Screws, Aerator
WLJS398	Colour Indicator Kit JV
FSHOSE100	Hose 15mm 1/2"BSP FI X M15 - 1000mm Post March 24
FSHOSE100KIT	Hose Kit 15mm 1/2 BSP FI x M15 1000mm with Spring Suits Pre April 24
FS053L	Riser Assembly 300mm Low Lead
FSJ378-80	Lever Handle Only 80mm - Jumper Valve with Colour Indicators
FS070	Adjustable Wall Bracket - Standard
FS072	Trigger Spray Hook