


# ComLab Bench Mounted Dual Mixer with Swivel/ Fixed Gooseneck Outlet

Enware Commercial Laboratory outlets are supplied with a tapered tube nozzle and are assembled for each specific media type. The durable powder coat finish gives significant protection against corrosion, discolouration and surface damage. Slimline handles are ergonomically designed for precise feel and fingertip control. Handles are colour coded for easy service identification and use complimentary buttons.

## KEY FEATURES

- 3/4-turn ceramic disc headworks provides precise flow control
- Durable white epoxy powder coat finish with coloured metal handles
- Swivel high-rise swivel spout with integral fixing option
- Flexible PEX inlet tails
- Tube nozzle outlet with flow control and dual check valve. 3/8" BSP FI when removed
- Aerator option
- Green handle and indicator button identification to DIN EN13792
- Heavy duty reinforced bench mounting
- Indicator buttons for compatible media included
- Compatible media: Cold Water, Hot Water, Chilled Water
- Lead free brass



## PRODUCT CODE

LCN130

ComLab Bench Mounted Dual Mixer with Swivel/ Fixed Gooseneck Outlet



# ComLab Bench Mounted Dual Mixer with Swivel/ Fixed Gooseneck Outlet

## TECHNICAL DATA

WELS Category	Tapware
Standard WELS	5 Stars
Standard WELS Flow Rate	6 L/min
Finish	Powder Coating
Valve Type	Ceramic Disc
Water Options	Cold, Hot, Chilled
Maximum Working Temperature	90°C
Maximum Recommended Pressure	700 kPa
Maximum Static Pressure	1000 kPa
Inlet Connection	1/2" BSP with PEX Flexible connectors
Outlet Connection	Tube Nozzle, 3/8" BSP Female (without nozzle)

### Technical Notes

Tube Nozzle may cause splashing and is designed to have tubing fitted when in use.

Aerator is available as an option.




Water used in the laboratory may not be potable, additional signage may be required.

## OPTIONAL ACCESSORIES

LCN172-5	Aerator and Adaptor - 5.7 L/min Laminar Flow TJ - to Suit LCN Products
LCN175	3/8"x 1/2" BSP MI Adaptor to suit Laboratory LCN Outlet

## SPARE PARTS

LCN183	ComLab: Stuffing Box Assembly - 3/4 Turn Ceramic Disc - LCN Products
LCN191-GREEN	ComLab: Handle (Green)
LCN193-1	ComLab: Indicator Mount Green with Indicator buttons CW, HW, CHW
LCN182-CHW	ComLab: Chilled Water Indicator Replacement - Water - LCN Products
LCN182-HW	ComLab: Hot Indicator Replacement - Water - LCN Products
LCN182-CW	ComLab: Cold Indicator Replacement - Water - LCN Products
LCN187	Dual Check Valve - LCN Nozzle
LCN190	Flow Control - LCN Tube Nozzle - 6 L/min
LCN171	ComLab - Tube Nozzle - Dual Check Valve - LCN Water Products
ATMS611	Aquablend - SQX M10 x 1/2" BSP Hose 350mm - 2 Hoses - 1x Hot 1x Cold
FS734	Spare Parts: Washer Service Kit - O-Rings, Grub Screws, Aerator



INSTALLATION DETAIL  
(BENCHTOP CUTOUT)

Products are to be installed in accordance with the Plumbing Code of Australia and AS/NZS3500. Reference should also be made to the Australasian Health Facility Guidelines (AHFG), ABCB and Local Government regulations when considering the choice of, and the installation of these products.

This product is compliant with the Lead Free requirements of NCC Volume Three. Due to ongoing Research and Development, specifications may change without notice. Component specifications may change on some export models. Refer to warranty statement for warranty details - [www.enware.com.au/warranty](http://www.enware.com.au/warranty).