

ComLab 45 Degree Fume Cupboard Outlet - AIR/ CO2/ HE/ AR/ N2

Enware Commercial Laboratory outlets are supplied with a tapered tube nozzle. The durable powder coat finish gives significant protection against corrosion, discolouration and surface damage. Colour coded back plate and indicator rings are provided to identify services.

KEY FEATURES

- Suited for dry media up to technical gas level 5.0
- Chemically and ultrasonically cleaned
- 45 degree outlet suitable mounting in Fume Cupboards
- Durable white epoxy powder coat finish with colour coded back plate and indicator rings
- 1/2" BSP male inlet tail and backnut with internal 1/4" BSP female thread connection
- Tube nozzle outlet. 3/8" BSP FI when removed
- Compatible media: Compressed Air, Carbon Dioxide, Helium, Argon, Nitrogen



PRODUCT CODE

LCN160DRY



ComLab 45 Degree Fume Cupboard Outlet -
AIR/ CO2/ HE/ AR/ N2

Due to ongoing Research and Development, specifications may change without notice.
Component specifications may change on some export models.
Refer to warranty statement for warranty details - www.enware.com.au/warranty.

ComLab 45 Degree Fume Cupboard Outlet - AIR/ CO2/ HE/ AR/ N2


TECHNICAL DATA

Finish	Powder Coating
Mounting Type	45 Degree Fume Cupboard Outlet
Maximum Recommended Pressure	700kPa
Inlet Connection	1/2" BSP Male, 1/4" BSP Female
Technical Notes	Suitable for connection with LC188 hose, hard plumbing, quick connect, compression fitting



INSTALLATION DETAIL
(MOUNTING SURFACE CUT OUT)

PLEASE CHECK LOCKING PIN
POSITIONS BEFORE INSTALLATION
AS ORIENTATION MAY VARY



OPTIONAL ACCESSORIES

LC188	1 Metre Flexible Hose - 1/4"X 1/2" F&F Connectors - Gas
LCN174	Spare Parts: Quick Connect Elbow - 1/4" BSP x 8mm 90 Degree

ComLab 45 Degree Fume Cupboard Outlet - AIR/ CO2/ HE/ AR/ N2

SPARE PARTS

LCN170	Spare Parts: ComLab - Tube Nozzle - LCN Gas Products
--------	--