

# Leva 150mm Recess Adaptor 1/4 Turn Ceramic Disc

The Leva range combines outstanding quality with functional, beautiful design. Ideal for Hospital/ Health and Aged Care applications in clinical areas, providing the benefits of easier reach and control.

The 150mm lever allows hands-free elbow operation suitable for sterile environments where hygiene is critical, and is designed to reduce bacterial capture points and make cleaning easier.

## KEY FEATURES

- Quarter-turn, contra-rotating 150mm lever handle
- Ceramic Disc
- Clear identification on all lever handles with blue, yellow or red coloured indicator collars (3 colour indicator collars included)
- Unique handle fixing is easy to fit, secure and durable
- Bright chrome finish
- Ergonomic sleek design 150mm lever handle ensures ease of use either by wrist or elbow
- Robust construction for superior performance
- Extended spindles available
- Lead free



## PRODUCT CODES

|              |                               |
|--------------|-------------------------------|
| LEV150308LTC | LTC - Anti-Clockwise to Close |
| LEV150308RTC | RTC - Clockwise to Close      |



Products are to be installed in accordance with the Plumbing Code of Australia and AS/NZS3500. Reference should also be made to the Australasian Health Facility Guidelines (AHFG), ABCB and Local Government regulations when considering the choice of, and the installation of these products.

This product is compliant with the Lead Free requirements of NCC Volume Three.




Due to ongoing Research and Development, specifications may change without notice. Component specifications may change on some export models.

Refer to warranty statement for warranty details - [www.enware.com.au/warranty](http://www.enware.com.au/warranty).

**Leva 150mm Recess Adaptor 1/4 Turn Ceramic Disc**

## TECHNICAL DATA

|                               |              |
|-------------------------------|--------------|
| Finish                        | Chrome       |
| Valve Type                    | Ceramic Disc |
| Maximum Operating Temperature | 85°C         |
| Minimum Recommended Pressure  | 50kPa        |
| Maximum Recommended Pressure  | 500kPa       |
| Maximum Static Pressure       | 800kPa       |



# Leva 150mm Recess Adaptor 1/4 Turn Ceramic Disc

## SPARE PARTS

|             |                                                                                    |
|-------------|------------------------------------------------------------------------------------|
| LEV150378NE | Spare Parts: Leva - 150mm Lever Handle Mk 2 - Handle Only - Suits Ceramic Disc     |
| LEV398      | Spare Parts: Leva Replacement ID Ring Pack                                         |
| WLCS382LTC  | Spare Parts: Wellbeing Leva Wall SBA LTC                                           |
| WLCS382RTC  | Spare Parts: Wellbeing Leva Wall SBA RTC                                           |
| LEVSQHEX    | Spare Parts: Leva - Sequential Leva - Hex Spline Adaptor for Basin / Surgeon Mixer |